

# PORTES D'ENTRÉE ALUMINIUM SAFESTYLE


## Présentation des motifs



**Motif 040**  
Ud = 1.1 (W/m<sup>2</sup>.K)



**Motif 045**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 065**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 075**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 110**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 136**  
Ud = 1.1 (W/m<sup>2</sup>.K)




**Motif 140**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 166**  
Ud = 1.1 (W/m<sup>2</sup>.K)



**Motif 173**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 176**  
Ud = 0.9 (W/m<sup>2</sup>.K)




**Motif 177**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 185**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 188**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 189**  
Ud = 0.9 (W/m<sup>2</sup>.K)



**Motif 222**  
Ud = 0.9 (W/m<sup>2</sup>.K)

Coefficients Ud donnés pour une dimension hors-tout de porte de 1230 x 2180 mm

# PORTES D'ENTRÉE ALUMINIUM SAFESTYLE

## Présentation des motifs



**Motif 402**  
Ud = 0.9 (W/m².K)



**Motif 413**  
Ud = 0.9 (W/m².K)




**Motif 449**  
Ud = 1.0 (W/m².K)




**Motif 501**  
Ud = 0.9 (W/m².K)



**Motif 502**  
Ud = 0.9 (W/m².K)



**Motif 503**  
Ud = 0.9 (W/m².K)



**Motif 504**  
Ud = 0.9 (W/m².K)



**Motif 505**  
Ud = 0.9 (W/m².K)



**Motif 514**  
Ud = 0.9 (W/m².K)



**Motif 515**  
Ud = 0.9 (W/m².K)



**Motif 524**  
Ud = 0.9 (W/m².K)




**Motif 525**  
Ud = 0.9 (W/m².K)



**Motif 551**  
Ud = 0.8 (W/m².K)



**Motif 552**  
Ud = 0.9 (W/m².K)



**Motif 553**  
Ud = 0.9 (W/m².K)

Coefficients Ud donnés pour une dimension hors-tout de porte de 1230 x 2180 mm

# PORTES D'ENTRÉE ALUMINIUM SAFESTYLE

## Présentation des motifs



**Motif 554**  
Ud = 0.9 (W/m².K)



**Motif 555**  
Ud = 0.9 (W/m².K)




**Motif 556**  
Ud = 0.8 (W/m².K)




**Motif 557**  
Ud = 0.8 (W/m².K)



**Motif 558**  
Ud = 1.1 (W/m².K)



**Motif 559**  
Ud = 0.9 (W/m².K)



**Motif 560**  
Ud = 0.9 (W/m².K)



**Motif 565**  
Ud = 0.8 (W/m².K)



**Motif 568**  
Ud = 0.8 (W/m².K)



**Motif 581**  
Ud = 0.9 (W/m².K)




**Motif 583**  
Ud = 0.9 (W/m².K)



**Motif 585**  
Ud = 0.8 (W/m².K)



**Motif 590**  
Ud = 0.9 (W/m².K)



**Motif 596**  
Ud = 0.9 (W/m².K)




**Motif 650**  
Ud = 0.9 (W/m².K)


Coefficients Ud donnés pour une dimension hors-tout de porte de 1230 x 2180 mm

# PORTES D'ENTRÉE ALUMINIUM SAFESTYLE

## Présentation des motifs



**Motif 659**  
Ud = 0.9 (W/m².K)




**Motif 667**  
Ud = 0.9 (W/m².K)




**Motif 675**  
Ud = 1.0 (W/m².K)



**Motif 680**  
Ud = 1.0 (W/m².K)



**Motif 686**  
Ud = 0.9 (W/m².K)




**Motif 689**  
Ud = 0.9 (W/m².K)




**Motif 693**  
Ud = 0.8 (W/m².K)



**Motif 694**  
Ud = 1.0 (W/m².K)




**Motif 697**  
Ud = 0.9 (W/m².K)




**Motif 757**  
Ud = 0.9 (W/m².K)




**Motif 759**  
Ud = 0.9 (W/m².K)




**Motif 762**  
Ud = 0.8 (W/m².K)



**Motif 771**  
Ud = 0.8 (W/m².K)



**Motif 777**  
Ud = 0.9 (W/m².K)




**Motif 779**  
Ud = 0.9 (W/m².K)


Coefficients Ud donnés pour une dimension hors-tout de porte de 1230 x 2180 mm

# PORTES D'ENTRÉE ALUMINIUM SAFESTYLE

## Présentation des motifs



**Motif 797**  
Ud = 0.9 (W/m².K)



**Motif 799**  
Ud = 0.9 (W/m².K)




**Motif**  
**825 - 845 - 855**  
Ud = 0.8 (W/m².K)




**Motif 860**  
Ud = 0.8 (W/m².K)



**Motif 861**  
Ud = 0.8 (W/m².K)



**Motif 862**  
Ud = 0.8 (W/m².K)



**Motif 867**  
Ud = 0.9 (W/m².K)




**Motif 871**  
Ud = 0.8 (W/m².K)



**Motif 872**  
Ud = 0.8 (W/m².K)




**Motif**  
**875 - 895 - 898**  
Ud = 0.8 (W/m².K)



**Motif 877**  
Ud = 0.9 (W/m².K)



**Motif 878**  
Ud = 0.8 (W/m².K)



**Motif 879**  
Ud = 0.9 (W/m².K)

Coefficients Ud donnés pour une dimension hors-tout de porte de 1230 x 2180 mm